"कला, संस्कृतियुक्त, स्वच्छ, समुन्नत टोखा नगर"

टोखा नगरपालिका

टोखा नगरपालिका

नगर कार्यपालिकाको कार्यालय

मैजुहिटी, काठमाडौं
वागमती प्रदेश, नेपाल

पत्र संख्या :-०८०/८१
चलानी नं:- ४०५४

मिति - २०८०/१२/६
ने.स.- ११४४ चिल्लाथ्व, १० मंगलवार

बिषय — दररेट पेश गर्ने सम्वन्धी पुनः प्रकाशित सूचना।

श्री सम्वन्धित व्यावसायीहरु

तेह्रौं नगरसभाको सि.नं. ७२८ मा वडा नं. ६ स्थित लाखेडाँडा पार्कमा खुल्ला व्यायामशाला एवं बालउद्यान निर्माण कार्यको लागि विनियोजित बजेटको कार्यक्रम कार्यान्वयनको लागि तयार भएको संलग्न BOQ अनुसारको सामाग्रीहरुको दररेट उल्लेख गरी तपशिलको मिति, समय र स्थानमा तपशिलका कागजातहरु सहित खामवन्दी प्रस्ताव पेश गर्नु हुन अनुरोध छ ।

प्रस्ताव साथ संलग्न गर्नु पर्ने कागजातहरु:

१. सम्वन्धित फर्म/ कम्पनिको निवेदन
२. कम्पनि / फर्म दर्ता नविकरण प्रमाणपत्रको प्रतिलिपी
३. भ्याट दर्ता प्रमाणपत्र
४. आ.ब.२०७९/८० को करचुक्ता प्रमाणपत्र
५. कार्यालयबाट जारी संलग्न BOQ मा फर्मको छाप र आधिकारीक व्यक्तिको दस्तखत हुनुपर्ने ।
६. संलग्न Technical Specifications fully comply गरी सहिछाप गरेको हुनु पर्ने ।

खामबन्दी प्रस्ताव पेश गर्नु पर्ने अन्तिम मिति,समय र स्थान		प्रस्ताव खोलिने मिति, समय र स्थान	
मिति	२०८०/१२/१२ गते	मिति	२०८०/१२/१२
समय	मध्यान्ह १२:०० वजे भित्र	समय	दिनको १:०० वजे
स्थान	टोखा नगरपालिका कार्यालय, मैजुहिटी, काठमाडौं	स्थान	टोखा नगरपालिका कार्यालय, मैजुहिटी, काठमाडौं

पूनश्चः छनौट भई सम्झौता गर्न नआएमा कालो सूचिमा राखिने प्रकृया अगाडि बढाईनेछ । अन्य कुरा सावर्जनिक खरिद ऐन तथा नियमावली वमोजिम हुनेछ ।

.....
(अनिल प्रसाद जोशी)
बरिष्ठ शाखा अधिकृत

सम्पर्क नः ०१-४९८५०१३/०१-४९८८४०५ Email: hellotokha@gmail.com/ Website: www.tokhamun.gov.np

CamScanner

स्थानीय तह
टोखा नगरकार्यपालिकाको कार्यालय
कार्यालय कोड नं.:

BILL OF QUANTITY (BOQ)

कार्यालय वा परिये जनाको नामः लाखेडाँडा पार्कमा खुल्ला ब्यायामशाला एवं बालउद्यान निर्माण/जडान, वार्ड -६(As per attached Specification)

कार्यक्रम / ये जनाको नाम र कार्यान्वयन हुने स्थलः वार्ड न. ०६

सम्पन्न हुने अनुमानित अवधिः.....

S.No	Description	Qty	Unit	Rate		Total
				In Figures	In Words	
1.00	Single Rowing Machine (for Outdoor use)	1.00	Set			
2.00	Abdominal Fitness Combination(for Outdoor use)	1.00	Set			
3.00	Double Elleptical Machine (for Outdoor use)	1.00	Set			
4.00	Leg Press, Upright & Twister Combined (for Outdoor use)	1.00	Set			
5.00	AIR WALKER (for Outdoor use)	1.00	Set			
6.00	CYCLE (for Outdoor use)	1.00	Set			
7.00	AIR SWING (for Outdoor use)	0.00	Set			
8.00	ARM AND SHOULDER WHEEL(for Outdoor use)	1.00	Set			
9.00	PUSH & PULL UP CHAIR (for Outdoor use)	1.00	Set			
10.00	Big play station(for Outdoor use)	1.00	Set			
					Sub Total	
					VAT 13%	
					Total	

Prepare By:- Checked By:- Approved By:-

स्थानीय तह
टोखा नगरकार्यपालिकाको कार्यालय
कार्यालय कोड नं.:

BILL OF QUANTITY (BOQ)

कार्यालय वा परिये जनाको नामः लाखेडाँडा पार्कमा खुल्ला ब्यायामशाला एवं बालउद्यान निर्माण/जडान, वार्ड -६(As per attached Specification)

कार्यक्रम / ये जनाको नाम र कार्यान्वयन हुने स्थलः वार्ड न. ०६

सम्पन्न हुने अनुमानित अवधिः.....

S.No	Description	Qty	Unit	Rate		Total
				In Figures	In Words	
1.00	Single Rowing Machine (for Outdoor use)	1.00	Set			
2.00	Abdominal Fitness Combination(for Outdoor use)	1.00	Set			
3.00	Double Elleptical Machine (for Outdoor use)	1.00	Set			
4.00	Leg Press, Upright & Twister Combined (for Outdoor use)	1.00	Set			
5.00	AIR WALKER (for Outdoor use)	1.00	Set			
6.00	CYCLE (for Outdoor use)	1.00	Set			
7.00	AIR SWING (for Outdoor use)	0.00	Set			
8.00	ARM AND SHOULDER WHEEL(for Outdoor use)	1.00	Set			
9.00	PUSH & PULL UP CHAIR (for Outdoor use)	1.00	Set			
10.00	Big play station(for Outdoor use)	1.00	Set			
					Sub Total	
					VAT 13%	
					Total	

Prepare By:- Checked By:- Approved By:-

CamScanner

स्थानीय तह
टोखा नगरकार्यपालिकाको कार्यालय
कार्यालय कोड नं.:

BILL OF QUANTITY (BOQ)

कार्यालय वा परिये जनाको नामः लाखेडाँडा पार्कमा खुल्ला ब्यायामशाला एवं बालउद्यान निर्माण/जडान, वार्ड -६(As per attached Specification)

कार्यक्रम / ये जनाको नाम र कार्यान्वयन हुने स्थलः वार्ड न. ०६

सम्पन्न हुने अनुमानित अवधिः.....

S.No	Description	Qty	Unit	Rate		Total
				In Figures	In Words	
1.00	Single Rowing Machine (for Outdoor use)	1.00	Set			
2.00	Abdominal Fitness Combination(for Outdoor use)	1.00	Set			
3.00	Double Elleptical Machine (for Outdoor use)	1.00	Set			
4.00	Leg Press, Upright & Twister Combined (for Outdoor use)	1.00	Set			
5.00	AIR WALKER (for Outdoor use)	1.00	Set			
6.00	CYCLE (for Outdoor use)	1.00	Set			
7.00	AIR SWING (for Outdoor use)	0.00	Set			
8.00	ARM AND SHOULDER WHEEL(for Outdoor use)	1.00	Set			
9.00	PUSH & PULL UP CHAIR (for Outdoor use)	1.00	Set			
10.00	Big play station(for Outdoor use)	1.00	Set			
					Sub Total	
					VAT 13%	
					Total	

11-14

Singh
20C0199198

Prepare By:- Checked By:- Approved By:-

CamScanner

स्थानीय तह
टोखा नगरकार्यपालिकाको कार्यालय
कार्यालय कोड नं.:

BILL OF QUANTITY (BOQ)

कार्यालय वा परिये जनाको नामः लाखेडाँडा पार्कमा खुल्ला ब्यायामशाला एवं बालउद्यान निर्माण/जडान, वार्ड -६(As per attached Specification)

कार्यक्रम / ये जनाको नाम र कार्यान्वयन हुने स्थलः वार्ड न. ०६

सम्पन्न हुने अनुमानित अवधिः.....

S.No	Description	Qty	Unit	Rate		Total
				In Figures	In Words	
1.00	Single Rowing Machine (for Outdoor use)	1.00	Set			
2.00	Abdominal Fitness Combination(for Outdoor use)	1.00	Set			
3.00	Double Elleptical Machine (for Outdoor use)	1.00	Set			
4.00	Leg Press, Upright & Twister Combined (for Outdoor use)	1.00	Set			
5.00	AIR WALKER (for Outdoor use)	1.00	Set			
6.00	CYCLE (for Outdoor use)	1.00	Set			
7.00	AIR SWING (for Outdoor use)	0.00	Set			
8.00	ARM AND SHOULDER WHEEL(for Outdoor use)	1.00	Set			
9.00	PUSH & PULL UP CHAIR (for Outdoor use)	1.00	Set			
10.00	Big play station(for Outdoor use)	1.00	Set			
					Sub Total	
					VAT 13%	
					Total	

Prepare By:- Checked By:- Approved By:-

CamScanner

Technical Specifications For

The Open Gym Equipments(Including Supply and Fixing, all Complete works)

S.N.	Description of Goods	Requirements
1	Single Rowing Machine (for Outdoor use)	Material: Galvanized steel tubes (processed with carbon-dioxide arc welding. static spraying paint, high temperature solidity). project plastic. Color: Green, Yellow, Red, Purple. Brown. Blue or Customized Function:: Enhance the muscle strength of upper limbs. shoulders, chest and the back. Size(mm): 1342*988*952(L*W*H) Volume: 0.5CBM Falling Height:400mm
2	Abdominal Fitness Combination (for Outdoor use) 	Dimension: 1879*1236*653mm (L*W*H) Material Galvanized steel tubes (processed with carbon-dioxide arc welding, static spraying paint, high temperature solidity), project plastic. Exercise Part Abdominal muscles and back Color: Green, Yellow, Red, Purple, Brown, Blue or Customized Function: To strengthen the muscles on the abdominal and back and improve elasticity; Instruction Place your legs in or onthe cross bar, and to hook the cross bar below with legs with 2 hands cross behind head-doing sit-up movement on the machine 2 people are permitted at the same time Install Method 1 Underground, if your place is ground or grass 2 Concrete, if you place is covered with concrete and the thickness is more than 10cm Packing Cotton inside and pp film outside Volume 10CBM
3	Double Elliptical Machine 	Dimension: 1500*940*1585 mm (L*W*H) Material: Steel or galvanized steel tubes (processed with carbon dioxide arc welding, static spraying paint, high temperature solidity). Color: Green, Yellow, Red, Purple, Brown, Blue or Customized by You. Exercise Part : Arms. Function: Increase torso strength and flexibility Instruction Hold the horizon bar with two hands, and do up and down Player Age Kids and old adults Install Method 1. Underground, if your place is ground or grass 2. Concrete, if you place is covered with concrete and the thickness is more than 10cm.Apply to Communities, residential park, uptown park, leisure place.activity center, garden, playground. 8.50 x 11.00 in Volume 1.5 CBM Packing: Cotton in side and pp film outside.
4	Leg Press, Upright & Twister combined (for Outdoor use) 	Galvanized steel pipe. Color powder coated;as per standard size and thickness.

CamScanner

5	Air Walker		Mild Steel,Thickness of pipes Not Less Than 3 mm.Main frame pipe 110-165 MM (as/design) ,Swinging paddle pipe 40-80mm,Handle Pipes 30-60 MM,Plastic Alloy /Nylon footrest with appropriate thickness.Reinforced foot pedals for extended life.Permanent lubricated sealed bearing of reputed brand for maintenance free usage,All open ends of pipe either sealed in or closed by GI/LLDPE cap for user safety.Paint: All Weather Double Layer Powder Coated Paint Thickness of Base plate for fixing : Not less than 8 mm
6	Cycle		Specifications ;Material:Pre Galvanized Mild Steel,Thickness of pipes Not Less Than 3 mm.Main frame pipe 110-165 MM (as/design) ,Handle frame and other frame 30-60mm (as/design)Revolving paddles & Wheels heavy duly M.S plate PVC cover Handle with dia 30-60 mm, Plastic Alloy / HDPE seat withappropriate thickness with effecitevely connected on frame Permanent lubricated sealed bearing of reputed brand for maintenance free usage Plastic Alloy /Nylon footrest with appropriate thickness.Reinforced foot pedals for extended life.Nylon covers for covering the Nuts & Bolt All open ends of pipe either sealed in or closed by GI/LLDPE cap for user safety.Paint: All Weather Double Layer Powder Coated Paint Thickness of Base plate for fixing : Not less than 8 mm
7	**AIR SWING**		Material:Pre Galvanized Mild Steel, Thickness of pipes Not Less Than 3 mm. Main frame pipe 110-165 MM (as/design) , Swinging paddle pipe 40-80mm,Handle Pipes 30-60 MM,Plastic Alloy /Nylon footrest with appropriate thickness. Reinforced foot pedals for extended life.Permanent lubricated sealed bearingof reputed brand for maintenance free usage,All open ends of pipe either sealed in or closed by GI/LLDPE cap for user safety.Paint: All Weather Double Layer Powder Coated Paint Thickness of Base plate for fixing : Not less than 8 mm
8	**ARM AND SHOULDE RWHEEL**		Material: Pre Galvanized Mild Steel, Thickness of pipes Not Less Than 3 mm.Main frame Pipe Dia 100 –150 MM (as/designHandle frame 25-50mm (as/design)Permanent lubricated sealed bearing of reputed brand formaintenance free usage.Paint: All Weather Double Layer Powder Coated Paint.Thickness of Base plate for fixing : Not less than 8 mm

CamScanner

9	**Push & Pull up chair**		Material:Pre Galvanized Mild Steel, Thickness of pipes Not Less Than 3 mm. Main frame pipe 110-165 MM (as/design) ,L shape pipe is dia 70-100 mm,Swing Arm is dia 30-60 mm, PVC Cover Handle with dia 30-60mm, Plastic Alloy / HDPE seatt with appropriate thickness with effecitevely connected on frame. Permanent lubricated sealed bearing of reputed brand for maintenance free usage.All open ends of pipe either sealed in or closed by GI/LLDPE cap for user safety. Paint: All Weather Double Layer Powder Coated Paint Thickness of Base plate for fixing : Not less than 8 mm
10	**Big playstation**		Ht. of 10.5', length of 28',wide of 15' Metal : Min 14 gause pipe Fiber thickness of min 3.5 mm double slide lenth 9' Silgle slide lengh 8.5' Tunnel lenth 9.5' Spiral height 4'





80-120MM BORE SIZE, 4.7MM THICKNESS PIPE,
ROUND PLATE: 250MM DIA WITH 10MM THICKNESS

A. Brochure with Specifications and others essential details(Certificates) must be submitted.
B. Warranty Period: Minimum period of 2 years.In case of Problems occurred within warranty period must be solved within 24 hours.
C. Most incorporate all necessary accessories in case of missing BOQ in order to complete whole installation package.

* Image: (The product images are for illustration purposes only and may not be an exact representation of products)

* Dimension: Variation on overall dimension not more than (+/-) 100 mm.

CamScanner